



es dui		الوالم الكور			Q		
	RT DCCUM	ENTATION PAGE					
AD-A191 70	TO, RESTRICTIVE WARKINGS THE COMME						
TA SECURITY CLASSIFICATION AUTHOR TY	2. DISTRIBUTION/AVAILABLE TV OF REPORT DISTRIBUTION Unlimited						
25. DECLASSIFICATION/DOWNGRA	ECTE	DISCHIBULIO	on Unitable	:0	•		
A PERFORMING ORGANIZATION RE ST. T.	R O 7 1988	I WONT CRING OR	- · · · · · · · · · · · · · · · · · · ·	5303TN 4853	· · · · · · · · · · · · · · · · · · ·		
2 PERPORMING ORGANIZATION RESEAT NOT	AFOSR TR. 88-0232						
HASSachusetts Institute of Technology	60 er = ICE SYMBOL (If applicable)	AFOSR/NE NC					
Sc. ADDRESS (City, State and ZIP Code)	76. ACORESS (City, State and ZI? Code)						
Rm. 13-3005 MIT, 77 Massachusetts Avenue Cambridge, MA 02139		Building 410 Bolling Air Force Base, DC 20332-6448					
EL NAME OF FUNDING/SPONSORING ORGANIZATION				9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
AFOSR	WE NC	F49629-85-	F49629-85-C-0147				
Sc. AOCRESS (City, State and ZIP Code)		10. SOURCE OF FUNDING NOS.					
AFOSR/NE ATTN: Dr. Don Ulrich Bolling AFB, DC 20332-6448		PROGRAM ELEMENT NO.	PROJECT NG.	TASK NG.	WCR ENIT		
:1. TITLE (Include Security Classification) Size Effects in the Electrical Resistivity of Benzene-Derived Carbo		61102F	2303	A3			
12, PERSONAL AUTHOR(S)			•				
K. Sugihara M.S. Dresselhaus 134 TYPE OF REPORT 135 TIME COVERED 14. DATE OF REPORT (Ye. Mo., Day) 115, PAGE COUNTY				TRUCE			
1-2-201.00	-1-86 to 8-31-87	October 30	1987	1			
te. Sufflementary notation					•		
17. COSATI CODES	18. SUBJECT TERMS	Oranue on reverse if necessary and identify by block number:					
FIELD GROUP SUE. GR.	Warhon Fibers	Size Effect of	Size Effect of Carbon Fibers, Electrical Carbon Fibers Repunts				
		Carbon Fibers	Kepunt	's (1		
19. ASSTRACT (Continue on reverse if necessary a	nd identify by block number)P)					
Tabar and oth	ers in the Dressell	ha			اً ا		
fect in the electric							
diameters. A sim							
dependence on the				•	T		
gether with a cons							
observed results a							
enough, while for							
are considerably s							
is removed by cons		t boundary con	ditions and	by solving the	he		
Boltzmann equation	DII. () () ()				•		
12 DISTRIBUTION/AVAILABILITY OF ASSTR	21. ABSTRACT SECURITY CLASSIFICATION						
UNCLASSIFIED/UNLIMITED 🔙 SAME AS RP	Unclassified						
22. NAME OF RESPONSIBLE INDIVIOUAL	22h. TELEPHONE N		ZZE OFFICE SYMBOL				
Dr. Don Ulrich	(202) 767-49		NE N	10			
<u> </u>		, ,===,; -; -;		1 4510			

STAND COLUMN TSSESSION TO COLUMN PROFESSION PROFESSION DESCRIPTIONS DESCRIPTIONS DESCRIPTIONS DESCRIPTIONS

AFOSR-TR- 88-0232

15:30 CS 4 Size Effect in the Electrical Resistivity of Benzene-derived Carbon Fibers*. K. Sugihara and M.S. Dresselhaus, M.I.T.--Tahar et al. previously reported a size affect in the electrical resistivity of benzenederived carbon fibers (BDF) with small diameters. 1 A simple theory indicates that the resistivity obeys an expression p= a + b/d, where a denotes a size-independent scattering process and the second term corresponds to boundary scattering where d is the sample diameter. The observed results are well represented by this formula if d is large enough, while for samples with small d, the observed resistivity data are considerably smaller than the theoretical expectation. This discrepancy is removed by considering the correct boundary conditions and by solving the Boltzmann equation. On the other hand, the conventional formula $1/\tau=1/\tau_0+\nu/L$, where the second term is associated with boundary scattering, is not applicable if L<10 (10= mean free path associated with $1/\tau_0$).

+Supported by AFOSR contract F49620-85-C-0147

1 M.Z. Tahar, O.C. de Hodgins, M.S. Dresselhaus, and M. Endo, Extended Abstracts of the Symposium on Intercalated Graphite, Materials Research Society Meeting, Boston (1984), p. 217.



Accesion For	
NTIS CR4&I MODIC TAB ID Unannounced ID Justification	
By	
Availability Do c	:
Dat Sport	
A-1	و مرسید این

LME 8